| | Hits | Search Text | DBs |
|---|-------|---|---|
| 1 | 82188 | ((authoriz\$5 or privilege\$1 or access\$4) with (level\$1 or | 1 |
| 2 | | ((authoriz\$5 or privilege\$1 or access\$4) near5 (level\$1 or | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 3 | 26002 | l6 and @ad < "20010713" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 4 | 387 | l7 and (donor\$1 or donat\$4 or fund\$1rais\$4 or charit\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 5 | 6 | or executive \$1 or boss \$3 or director \$1 or administrator \$1 or supervisor \$1) with (donor \$1) | USPAT; |
| 6 | | ((authoriz\$5 or privilege\$1 or access\$4) near9 (level\$1 or | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

| | Hits | Search Text | DBs |
|---|------|-------------|---|
| 7 | 6 | l10 and l11 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

| | Hit s | Search Text | DBs |
|---|----------|---|---|
| 1 | 5 | hierarch\$5) with (campaign\$1 or | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 2 | 8 | ((creat\$5 or establish\$5 or build\$5 or structur\$4 or generat\$5 or form\$5) with (tree\$1 or hierarch\$5) with | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 3 | 0 | S4 and manager\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 4 | 0 | S4 and donor\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

| | Hit s | Search Text | DBs |
|---|----------|---|---|
| 5 | 5 | S3 and @ad < "20010713" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 6 | 4 | (("5909794") or ("20010037275") or ("20020091538") or ("20020073026")).PN. | US-PGPUB; USPAT |
| 7 | 5 | (("20010051875") or ("20020091538") or ("20050240433") or ("20050159976") or ("20020080175")).PN. | US-PGPUB; USPAT |